





IC Core







Model Number ___ MBS

Finishes ____

Description Small format

Interchangeable

CO

606 - Satin Brass 613 - Anodized Oil Rubbed Bronze 626 - Satin Chrome Compatible with housing from Arrow, Best and Falcon

- Cores are available combinated or uncombinated
- 14 standard keyways, 4 T series keyways, 6 premium keyways

Configurations for IC Core cylinders:

STANDARD KEYWAYS T SERIES KEYWAYS PREMIUM KEYWAYS
6 and 7 Pin 6 and 7 Pin 7 Pin Only

Α	R
В	
C	
D	
E F	
G	
Н	
J	
K	
L	
M	
Q	

1a /	۲
TB	
TC	
TD	
TE	

WA WB WC WD WG WH

How To	Model Number	Pin Length	Keyways	Finish
Order Uncombinated	MBS-IC	7	А	626

How To	Model Number Pin Length		Keyways Combinated F		Finish
Order Combinated	IC	7	Α	СОМВ	626

2

317-806-1180



Rim IC Housing









- Compatible with cores from Arrow, Best and Falcon
- Furnished with collar mounting plate & screws
- Tailpiece converts between horizontal & vertical positions
- Solid brass or bronze construction

Rim IC housing MBS - ICR

D	escription	_ IC rim housing	
	•	7 pin length	
		6 pin length	
F	inishes	605 - Bright Brass	
		606 - Satin Brass	
		612 - Satin Bronze	
		613 - Anodized Oil	
		Rubbed Bronze	
		625 - Bright Chrome	
		626 - Satin Chrome	

How To	Model Number	Pin Length	Finish	
Order	MBS-ICR	7	626	

^{*} Omit cam selection when ordering ICR housing



Mortise IC Housing









Model Number ___ MBS-ICT

Description ____ IC mortise housing

Tapered shoulder

Description IC mortise housing
7 pin length
6 pin length
Finishes 605 - Bright Brass
606 - Satin Brass
612 - Satin Bronze
613 - Anodized Oil
Rubbed Bronze

625 - Bright Chrome 626 - Satin Chrome Compatible with housing from Arrow, Best and Falcon

- Removable designs allows changing of cams
- Solid brass construction
- 6 popular cams

Model Number ___ MBS-ICM
Description ____ IC mortise housing
straight shoulder




How To Order	Model Number	Finish	Cam	
Tapered	MBS-ICT	626	AR	
Straight	MBS-ICM	626	AR	

Large Format Mortise IC housing









- Compatible with Schlage large format IC core
- Removable design allows for changing cams
- Solid brass construction

4

Model Number ___ MBS-ICS

Description ____ IC mortise housing


Straight shoulder

How To C	Order	Model Number	Finish	Cam
_	Straight	MBS-ICS	626	SA



Mortise Cam Chart

- Removable designs allows changing of cams
- Solid brass construction
- 6 popular cams









CAM2-CL



CAM2-MB



CAM2-SA




CAM2-SL



CAM2-ST






Model Number ___ M100T Description _____1" length, Solid brass turn piece

Mortise Thumb Turn Cylinder







- Solid brass or die-cast turn piece
- Solid brass housing
- 4 popular lengths
- 5 popular cams

Model Number ___ M156TC Description______15/16" length, Model Number ___ M100TC Description______1" length, Die-cast turn piece **Description** mortise thumb turn cylinder 7 pin length

6 pin length

Finishes — 605 - Bright Brass

606 - Satin Brass

612 - Satin Bronze

613 - Anodized Oil

Rubbed Bronze

625 - Bright Chrome

626 - Satin Chrome


Die-cast turn piece




Mortise Dummy Cylinder









- Non-hollow solid brass construction
- 4 popular lengths
- Precision threads

Model Number ___ M156D Description _____ 15/16" length

Model Number ___ M100D

Description _____ 1" length

Model Number ___ M118D Description 1-1/8" length,

Model Number ___ M114D Description _____1-1/4" length,

Rim Dummy Cylinder











Model Number ___ R118D **Description**_____ 1-1/8" length



Description mortise dummy cylinder 7 pin length 6 pin length

Finishes ___ - 605 - Bright Brass 606 - Satin Brass

612 - Satin Bronze

613 - Anodized Oil **Rubbed Bronze**

625 - Bright Chrome 626 - Satin Chrome



Marshall Best Security Corporation

www.marshallbestsecurity.com 13097 Parkside Drive, Suite B Fishers, IN 46038 317-806-1180